

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

What is claimed is:

1. A vehicle cover, comprising:

a main cover portion having a plurality of peripheral edges;

a fastening band attached to and extending along said plurality of peripheral edges; and,

an anchoring means attached to a rear end of said vehicle cover.

2. The vehicle cover of claim 1 wherein said plurality of peripheral edges further comprises a first peripheral edge, a second peripheral edge, a third peripheral edge, and a fourth peripheral edge bounding said main cover portion.

3. The vehicle cover of claim 2, further comprising a first fastening band extension having a first end and a second end, wherein said first fastening band extension first end is attached to a first end of said third peripheral edge and said first fastening band extension second end is attached to said first peripheral edge creating an opening between said first fastening band extension and a portion of said first peripheral edge between said first end of said third peripheral edge and said first fastening band extension second

end.

4. The vehicle cover of claim 2, further comprising a second fastening band extension having a first end and a second end, wherein said second fastening band extension first end is attached to a second end of said third peripheral edge and said second fastening band extension second end is attached to said second peripheral edge creating an opening between second fastening band extension and a portion of said second peripheral edge between said second end of said third peripheral edge and said second fastening band extension second end.

5. The vehicle cover of claim 3, wherein a length of said first fastening band extension is shorter than a length of said portion of said first peripheral edge creating a bowed configuration of said vehicle cover at a front end.

6. The vehicle cover of claim 4, wherein a length of said second fastening band extension is shorter than a length of said portion of said second peripheral edge creating a bowed configuration of said vehicle cover at a front end.

7. The vehicle cover of claim 3, wherein elastic is attached along a length of said portion of said first peripheral edge.

8. The vehicle cover of claim 4, wherein elastic is attached along a length of said portion of said second peripheral edge.

9. The vehicle cover of claim 1, wherein said anchoring means further comprises a hook portion having an aperture, and a cord lock mechanism having an aperture.

10. The vehicle cover of claim 9, further comprising a first cord having a first end attached to said fourth peripheral edge and a second free end, a second cord having a first end attached to said fourth peripheral edge and a second free end, wherein said first cord second free end is inserted through said hook portion aperture and said cord lock mechanism aperture, and said second cord second <sup>free</sup> end is inserted through said hook portion aperture and said cold lock mechanism aperture, and wherein said hook portion is secured to an undersurface of a vehicle trunk lid.

11. The vehicle cover of claim 3, further comprising an elastic strip attached to said main cover portion parallel to said fourth peripheral edge and extending substantially between said first peripheral edge and said second peripheral edge.

12. The vehicle cover of claim 2, further comprising a windshield flap having a first edge and a second edge, wherein said first edge is attached to said third peripheral edge.

13. The vehicle cover of claim 12, further comprising a pouch attached to said windshield flap.

14. A vehicle cover for a vehicle having an upper cab portion a driver side mirror and a passenger side mirror, comprising:

first, second, third, and fourth peripheral edges bounding a cover portion;

a fastening band created by a hem along said first peripheral edge, said second peripheral edge, and said third peripheral edge;

elastic material attached along said third peripheral edge and said fourth peripheral edge;

a first fastening band extension having a first end and a second end, wherein said first fastening band extension first end is attached to a first end of said third peripheral edge and said first fastening band extension second end is attached to said first peripheral edge creating a bowing effect of the material at the elastic portion of said first peripheral edge between said first end of said third peripheral edge and said first fastening band extension second end, wherein said elastic portion of said first peripheral edge extends over said driver side mirror and said first fastening band extension extend under said driver side mirror creating a taut and custom fit of said vehicle cover over the vehicle; and,

a second fastening band extension having a first end and a second end, wherein said second fastening band extension first end is attached to a second end of said third peripheral edge and said second fastening band extension second end is attached to said second peripheral edge creating a bowing effect of the material at the elastic portion of said second peripheral edge between said second end of said third peripheral edge and said second fastening band extension second end, wherein said elastic portion of said second

peripheral edge extends over said passenger side mirror and said second fastening band extension extends under said passenger side mirror creating a taut and custom fit of said vehicle cover over said vehicle.